

#### **SUPPLEMENTARY MATERIAL**

# **Supplementary Figures**



Supplementary Figure 1. Comparing the effect of Rb1, Rb2, Rc, Rd, Rg(3), and KRGP on the cell viability in Tac-treated HK-2 cells. Cell viability of HK-2 cells detected using CCK-8 assay at 0.1, 1, and 10  $\mu$ g/mL of (A) Rb1, (B) Rb2, (C) Rc, (D) Rd, (E) Rg(3), and (F) KRGP during Tac-induced injury for 12 h. Data are presented as mean  $\pm$  SE and are representative of at least three independent experiments.  $^*$ P < 0.05 vs. indicated groups.



Supplementary Figure 2. Comparing the effect of Rb1, Rb2, Rc, Rd, Rg(3), and KRGP treatment on the Klotho expression in Tac-treated HK-2 cells. Representative immunoblot image and its quantification of Klotho during Tac and 0.1 (A and B), 1 (C and D), 10 ug/mL (E and F) of Rb1, Rb2, Rc, Rd, Rg(3), and KRGP treatment for 12 h. The relative optical densities of bands in each lane were normalized to each band of  $\beta$ -actin or total form protein from the same gel. Data are presented as mean  $\pm$  SE and are representative of at least three independent experiments. \*P < 0.05 vs. Control group.

#### **Supplementary Methods**

## Cell culture

HK-2 cells from an immortalized human proximal tubular epithelial cell line were grown in Dulbecco's modified Eagle's medium (DMEM) containing 10% fetal bovine serum supplemented with 100 U/mL penicillin and 100  $\mu g/mL$  streptomycin, and incubated at 37°C in a humidified atmosphere containing 5% CO2. The cells were seeded in culture plates and treated with Tac (50  $\mu g/mL$ ) and Rb1, Rb2, Rc, Rd, Rg(3), and KRGP (0.1, 1, and 10  $\mu g/mL$ , Korea Ginseng Corporation) for 12 h.

## Cell-viability assay

Cells were seeded in 96-well plates at a density of 2 x 10<sup>4</sup> cells/well for 24 h and then subjected to various treatments for 12 h. Before the end of the treatments, Cell Counting Kit (CCK)-8 solution (Dojindo Molecular Technologies, Kumamoto, Japan) was added to each well for 2 h. Absorbance was measured at 450 nm using a VersaMax ELISA Reader (Molecular Devices, Sunnyvale, CA, USA).

#### **Immunoblot analysis**

After the end of the treatment of drugs, whole cells were lysed in 10 mM Tris (pH 7.5) containing 1% sodium dodecyl sulphate (SDS) and 1mM NaVO<sub>4</sub>. Equal amounts of protein were subjected to immunoblotting analysis with anti-Klotho antibody (KAL-KO603; Cosmo Bio., Tokyo, Japan). Signals were detected using an enhanced chemiluminescence system (ATTO Corp., Tokyo, Japan). Quantification of relative densities was performed with the control group set at 100%; densities were normalized to that of  $\beta$ -actin bands from the same

gel (Quantity One version 4.4.0; Bio-Rad, Hercules, CA, USA).

## Statistical analyses

The data are expressed as the mean  $\pm$  standard error from at least three independent experiments. Multiple comparisons between groups were performed by one-way analysis of variance with Bonferroni post-hoc test, using Prism software (Version 7.03 for Windows, GraphPad Software, La Jolla, CA, USA). Results with P values < 0.05 were considered significant.