

## SUPPLEMENTARY TABLE

Supplementary Table 1. Primers used for RT-PCR analysis.

Primer	Primer sequences (5' → 3')	Product size (bp)
m-GAPDH	AACTTTGGCATTGTGGAAGG GGATGCAGGGATGATGTTCT	132
m-ZO-1	TCATCCCAAATAAGAACAGAGC GAAGAACAACCCCTTCATAAGC	198
m-Occludin	AAGCAAGTGAAGGGATCTGC GGGGTTATGGTCCAAAGTCA	213
h-GAPDH	TCACCAGGGCTGCTTTTAACT GACAAGCTTCCCGTTCTCAG	152
h-GPX-4	ACAAGAACGGCTGCGTGGTGAA GCCACACACTTGTGGAGCTAGA	100
h-GCLM	TTGGAGTTGCACAGCTGGATT TGGTTTTACCTGTGCCCACTG	200
h-GCLC	GCTGTCTTGCAGGGAATGTT ACACACCTTCCTTCCCATTG	160
h-Nrf2	TCCAGTCAGAAACCAGTGGAT GAATGTCTGCGCCAAAAGCTG	107
h-18S ribosomal RNA	ATCATGTTTGAGACCTTCAACA CATCTCTTGCTCGAAGTCCA	318
h-cytochrome c oxidase I	CAAACCTACGCCAAAATCCA GAAATGAATGAGCCTACAGA	164